Another Way to Solve a Chilling Problem... Liquid Water that is Colder than Ice! – Student Worksheet

• Loosely adapted from a "Supercooling, Clouds and Precipitation" activity developed by the American Meteorological Society for their Water in the Earth System (WES) Project.

Name:

Overview: This activity is a lab that will leave students with a lasting impression. In the video, it is apparent that cold temperatures must be reached that cannot be reached simply by packing the XRS in a common refrigerator or some dry ice. In fact, a high-tech system is used. To illustrate that creative methods can lead to desired but surprising results, this lab presents a technique for creating supercooled water. This may be done as a demonstration, but is easily integrated into a class as a lab exercise. It also may be done in a chemistry setting as well as a physics classroom, and is ideal for an independent project for students who are highly motivated.

Materials:

Small, clear containers, such as test tubes (1 per group)

A large, clean plastic cup or bowl-shaped container, such as a 1000 mL beaker (1 per group)

Two thermometers

A stirrer

Crushed ice or snow

Salt

Water

Sequence of Events:

Calibrating the thermometers:

Calibration on a frequent basis is often necessary to insure the accuracy of any scientific instrument. A common method is using the instrument to measure a quantity that is already known (sometimes called a "standard") and should produce a given reading. If that reading is not seen, then the measuring tool must be adjusted or its readings adjusted.

- 1. Fill the 1000 mL beaker approximately 2/3 full with crushed ice or snow.
- 2. Add water to within 1.5 cm of the top.
- 3. Place both thermometer bulbs well into the middle of the mixture. This will allow for the calibration of each thermometer, as they may not be accurate. The mixture will be at exactly 0° C or 32° F, but the readings on the thermometers may not, thus being in error.
- 4. Note any differences between the actual temperature of the mixture and the thermometer reading. This is done by taking the reading on the thermometer minus the actual temperature which is known to be 0° C or 32° F.

$$\mathbf{T}_{\text{thermometer}} - \mathbf{T}_{\text{actual}} = \mathbf{T}_{\text{cal}}$$

We will refer to this difference, T_{cal} , as the calibration factor, which must be used to accurately determine the temperature readings from this point on.

Supercooling the Water:

- 1. Create a salt water solution with the ice water slush by adding 20 grams of salt to each 100 mL of water (roughly 200 grams of salt) stirring slightly so that the salt becomes evenly distributed.
- 2. Using one thermometer, note and record the change in temperature on the worksheet. Continue to add salt 10 grams at a time, until not all dissolves upon stirring.
- 3. Record the temperature after each addition, until it drops to -10° C. Continue to monitor the temperature occasionally (every 2-3 min) until the mixture is saturated with salt.
- 4. Fill the small container with approximately 10 mL of tap water.
- 5. Gently place the small container in the mixture so that the liquid levels inside and outside the small container align. If possible, slightly tip the small container.
- 6. Submerge the second thermometer in the water sample in the small container, and position it so that temperature readings may be obtained without touching or moving the thermometer or the container.
- 7. Record the starting temperature of the tap water and make observations of temperature every 30 seconds. During or after tabulation, plot temperature vs. time. Note that you have just created liquid water that is existing below 0° C!

If ice forms or the temperature does not stabilize below 0° C, then repeat steps 4 through 7 again. This will happen rarely, but does happen.

This is referred to as supercooled water, and <u>is one of many refrigeration processes that clever scientists use</u> <u>to keep things cold</u>. It is also a demonstration that liquid, supercooled water may exist near ice. This process commonly occurs in cloud formation. Students should develop whatever product is normally assigned as a lab write up.

The XRS contains other examples of refrigeration methods to reduce the temperature of the XRS to 0.06 K, enabling it to detect X-rays with maximum efficiency. These include the use of insulation (as in a thermos), the use of liquid helium and solid neon, and an adiabatic demagnetization refrigerator (ADR – for more on this innovative technology that has applications well beyond detecting X-rays, please visit: http://imagine.gsfc.nasa.gov/docs/teachers/lessons/xray_spectra/background-adr.html).

Extensions:

- 1. Research the ADR. Develop a product (flow chart, PowerPoint presentation, paperfold, etc.) that shows the processes present in the working of the ADR. Include important details, such as its life expectancy. The Suzaku Learning Center (http://suzaku-epo.gsfc.nasa.gov/) serves as an excellent source for beginning this research.
- 2. Note that a physical property of the liquid water, its freezing point, was changed by the addition of another substance, the salt. It may almost seem that we added an impurity to obtain a desired result. This process is commonly used to develop products that we used everyday, and is sometimes referred to as "doping". Do a small amount of searching and find out how and where doping is used.

Date:			
alibrating the Therm	10matar:		
Thermometer No.	T _{thermometer} (°C)	T _{actual} (°C)	T _{cal} (°C)
1			
2			
Report the approximate mportant?	error, indicating if it is i	eianve, absolute, or t	ooth. In this case, which

Discuss sources of error, including the precision of the instruments that were used.

Time	Temperature of bath	Temperature of salt/water solution	
(min)	(°C)	(°C)	-
			-
			_
			-
			<u> </u> -
			-
			-
			_
			-
			-
			-
			-
			1

Name(s): ______
Date: _____

You may be directed to write an analysis and conclusion, show sample calculations, include an abstract, or include other parts of a report as directed by your teacher.